

Alkoxy-naphthalene derivatives

Patent Number: ☐ US4771072

Publication date: 1988-09-13

Inventor(s): IWASAKI TAMEO (JP); TAKASHIMA KOHKI (JP)

Applicant(s): TANABE SEIYAKU CO (JP)

Requested Patent: ☐ EP0188248, B1

Application Number: US19850814805 19851230



Priority Number(s): JP19850003090 19850110

IPC Classification:

EC Classification: C07C45/71, C07C65/24, C07D307/92E, C07D317/70, C07D493/04

Equivalents: AU5175185, AU584153, BG45383, BG45385, CN1006464B, CN86100090, ☐ DD270529, DE3672501D, ☐ ES8705837, ☐ ES8801239, FI860089, ☐ FI87557B, ☐ FI87557C, HU42428, ☐ JP61267541, KR8901884, NO170760B, NO170760C, NO855355, PH22105, ☐ PT81814, ☐ US5070103

Abstract

Naphthalene derivative of the formula:  (I) wherein R1 is hydrogen atom or a lower alkoxy-carbonyl and R2 is a lower alkoxy-carbonyl, or R1 and R2 are combined together to form a group of the formula:  each of R3 and R4 is a lower alkoxy, or one of R3 and R4 is hydrogen atom and the other is a lower alkoxy, and Ring A is a substituted or unsubstituted benzene ring, and a pharmaceutically acceptable salt thereof are disclosed. Said naphthalene derivative (I) and its salt have excellent hypolipidemic activity and are useful for treatment or prophylaxis of hyperlipidemia and/or arteriosclerosis.

Data supplied from the esp@cenet database - I2